



Product Name: NUCIDOL 200 EC INSECTICIDE AND ACARICIDE

APVMA approval number: 49876/RV24

<b>Signal Headings:</b>	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING FOR ANIMAL TREATMENT ONLY
-------------------------	--

<b>Product Name:</b>	Nucidol 200 EC Insecticide and Acaricide
----------------------	--

<b>Constituent Statements:</b>	200 g/L DIAZINON (anticholinesterase compound) Also contains: 552 g/L HYDROCARBON-LIQUID (solvent)
--------------------------------	---

<b>Claims:</b>	THIS PRODUCT IS TOO HAZARDOUS FOR USE BY HOUSEHOLDERS  Controls:  <b>Horses:</b> Flies ( <i>Musca vetustissima</i> ) Lice on horses ( <i>Damalinia equi</i> ; <i>Haematopinus asini</i> )  <b>Animal sheds:</b> Flies ( <i>Musca domestica</i> ; <i>Stomoxys calcitrans</i> ).  Resistance may develop to any chemical.
----------------	--

<b>Net Contents:</b>	500 mL, 5 L
----------------------	-------------

<b>Directions for Use:</b>	
----------------------------	--

<b>Restraints:</b>	<b>DO NOT</b> use in areas accessible to children <b>DO NOT</b> use on horses that may be used for human consumption <b>DO NOT</b> treat farm buildings and animal sheds by spray in the presence of animals. Wait until chemical clears after treatment, then thoroughly ventilate treated area, before allowing re-entry of animals <b>DO NOT</b> spray water or feed troughs <b>DO NOT</b> allow water to enter this container <b>DO NOT</b> rinse lid with water
--------------------	---

<b>Contraindications:</b>	
---------------------------	--

<b>Precautions:</b>	RE-ENTRY PERIOD  If re-entering treated areas before the spray has dried wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and
---------------------	---

	chemical resistant gloves. Clothing must be laundered after each day's use
--	--

<b>Side Effects:</b>	
----------------------	--

<b>Dosage and Administration:</b>	This section contains file attachment.
-----------------------------------	--

<b>General Directions:</b>	NUCIDOL mixes readily with hard or soft water.
----------------------------	--

<b>Withholding Periods:</b>	
-----------------------------	--

<b>Trade Advice:</b>	
----------------------	--

<b>Safety Directions:</b>	Poisonous if swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will irritate the eyes and skin. Avoid contact with eyes and skin. <b>DO NOT</b> inhale vapour or spray mist. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing and a washable hat, and elbow-length chemical resistant gloves. When using the prepared spray, wear protective waterproof clothing, cotton overalls buttoned to the neck and wrist or equivalent clothing and a washable hat, elbow-length chemical resistant gloves and a half-face piece respirator. If clothing becomes contaminated with product, remove clothing immediately. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water, and contaminated clothing.
---------------------------	---

<b>First Aid Instructions:</b>	If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26, New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.
--------------------------------	--

<b>Additional User Safety:</b>	If additional hazard information is required, refer to Material Safety Data Sheet, which is available from <a href="http://www.pacificbiologics.com.au">http://www.pacificbiologics.com.au</a> .
--------------------------------	--

<b>Environmental Protection:</b>	Very toxic to aquatic life. <b>DO NOT</b> contaminate wetlands or watercourses with this product or used containers.  Highly toxic to bees. However, the use of this product as directed is not expected to have adverse effects on bees.
----------------------------------	---

<b>Disposal:</b>	500 mL: Dispose of container by wrapping with paper and putting in garbage.  5 L: Triple or (preferably) pressure rinse containers into spray. <b>DO NOT</b> dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not
------------------	--

	recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, dispose in compliance with relevant local, state or territory government regulations. <b>DO NOT</b> burn empty containers or product.
--	--

<b>Storage:</b>	Store in original container tightly closed in a dry cool place. <b>DO NOT</b> store in direct sunlight. Store below 30 °C (Room Temperature). <b>DO NOT</b> use after {insert expiry date}.
-----------------	---

**Dosage and Administration:**

Animal/ Situation	Pest	High Volume Spray	Critical Comments
Horses	Flies ( <i>Musca vetustissima</i> ) and Lice ( <i>Damalinia equi</i> ; <i>Haematopinus asini</i> )	25 mL per 10 litres of water	Apply by mechanically pressurised hand wand only. Spray liberally as required.
Animal Sheds	Flies ( <i>Musca domestica</i> ; <i>Stomoxys calcitrans</i> )	250 mL per 10 litres of water	Spray the inner walls and any other places where flies settle thoroughly. Respray as necessary.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**