

60662\_38682\_20\_Primary carton\_MPL\_V02  
 Date: 0710  
 Dimensions: 260cm x 247cm  
 Scale: 100% when printed to 100% magnification on A3

# Co-Ral Plus<sup>®</sup>

Insecticide Cattle Ear Tag

1 2 3 4 5  
 6 7 8 9 10



2588

### DIRECTIONS FOR USE

**DOSAGE**  
 Apply 2 tags to each animal – one tag in each ear.  
 Apply as indicated in the diagrams.




Figure 1  
 Disinfect pliers prior to use. Place male button onto pin.




Figure 2  
 Slide tag under the clip of the pliers by depressing the lever.




Figure 3  
 Position tag in the centre portion of the back side of the ear.




Figure 4  
 Apply the tag between the second and third rib cartilage. **DO NOT** penetrate any cartilage rib or blood vessel.

### GENERAL INSTRUCTIONS

All mature animals in the herd should be tagged. Co-Ral Plus<sup>®</sup> will provide effective control of buffalo flies if used regularly on all animals in the group. The level and duration of control may be reduced under conditions of high fly pressure. Replace tags as necessary.

Calves less than 3 months should not be tagged as ear damage may result.

Remove tags at end of fly season or prior to slaughter.

Continual exposure to a single class of insecticide (eg, pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of buffalo flies developing resistance it is important to rotate the class of insecticide used and/or the method of buffalo fly control on a seasonal basis. Co-Ral Plus contains the organophosphate insecticides coumaphos and diazinon. Co-Ral Plus may be seasonally rotated with ear tags from other insecticide groups.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHOLDING PERIODS:**

**MEAT: NIL**

**MILK: NIL**

**TRADE ADVICE**

**EXPORT SLAUGHTER INTERVAL (ESI):** The minimum time between removal of ear tags and slaughter for export is zero (0) days.

# Co-Ral Plus<sup>®</sup>

Insecticide Cattle Ear Tag

### SAFETY DIRECTIONS

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

### FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Additional information is in the Material Safety Data Sheet.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Use tags only on cattle. **DO NOT** contaminate dams, streams or waterways with the tags or used containers.



Bayer Australia Ltd. ACN 000 138 714  
 875 Pacific Highway, PYMBLE NSW 2073  
 Co-Ral<sup>®</sup> and Co-Ral Plus<sup>®</sup> are registered trademarks of Bayer AG, Leverkusen, Germany.  
 Manufactured in the USA

**POISON**  
 KEEP OUT OF REACH OF CHILDREN  
 READ SAFETY DIRECTIONS  
 FOR ANIMAL TREATMENT ONLY

# Co-Ral Plus<sup>®</sup>

Insecticide Cattle Ear Tag

Active Constituents:  
 200 g/kg COUMAPHOS  
 200 g/kg DIAZINON  
 (ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of buffalo fly (*Haematobia irritans exigua*), including synthetic pyrethroid resistant strains, on beef and dairy cattle for up to 4 months.



# Co-Ral Plus<sup>®</sup>

Insecticide Cattle Ear Tag

**DISPOSAL**  
 Destroy empty containers by crushing them. Disposal of containers and spent tags at a local authority landfill that does not burn its refuse. If not available bury the containers and spent tags at a depth of 500mm or more in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burned.

### LIMITATION OF LIABILITY

Bayer Australia Limited (BAL) warrants that this product is of merchantable quality and fit for its intended purpose indicated on this label. Failure to use the product strictly as directed may be illegal, prove dangerous or render the product ineffective. Notwithstanding anything else contained on this label, BAL's liability is limited to replacing this product or supplying equivalent product or paying the cost of replacing this product, at its discretion.

**CUSTOMER INFORMATION LINE**  
**1800 678 368** TOLL FREE from anywhere in Australia  
 9:00am to 4:00pm (Eastern Time) Monday to Friday  
[www.bayeranimal.com.au](http://www.bayeranimal.com.au)

**STORAGE**  
 Store below 30°C (Room Temperature).  
 APVMA Approval No 60662/2 x 10T/0710



Batch  
 Expiry

20 tags

In prepacks of 10 tags which it is illegal to sell separately.



1 2 3 4 5  
 6 7 8 9 10

81531197, R.1

9.500" cutoff 2 around 19.000" cylinder .067" plates

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS  
FOR ANIMAL TREATMENT ONLY

# Co-Ral<sup>®</sup> Plus<sup>®</sup>

**Insecticide Cattle Ear Tag**

Active Constituents:  
200 g/kg COUMAPHOS  
200 g/kg DIAZINON  
(ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of buffalo fly (*Haematobia irritans exigua*), including synthetic pyrethroid resistant strains, on beef and dairy cattle for up to 4 months.

**WITHHOLDING PERIODS: MEAT: NIL MILK: NIL**  
**TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI):** The minimum time between removal of ear tags and slaughter for export is zero (0) days.

**NOT TO BE SOLD SEPARATELY**  
**BEFORE USE READ ALL DIRECTIONS ON THE OUTER PACK**

**SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Additional information is in the Material Safety Data Sheet.

**STORAGE**

Store below 30°C (Room Temperature).  
APVMA Approval No 60662/10T/0710

Batch

Expiry

**10 tags**



**Bayer**

Bayer Australia Ltd. ACN 000 138 714  
875 Pacific Highway, PYMBLE NSW 2073  
Co-Ral<sup>®</sup> and Co-Ral<sup>®</sup> Plus<sup>®</sup> are registered trademarks of Bayer AG, Leverkusen, Germany.  
Manufactured in the USA



**NO PRINT AREA**

3.0"

3.75"

3.0"

14.50" WEB WIDTH

60662\_38682\_10\_Immediate foil bag\_MPL\_V02  
Date: 0710  
Dimensions: 14.50cm x 9.500 cm  
Scale: 100% when printed at 100% magnification on A4

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS**  
**FOR ANIMAL TREATMENT ONLY**

**CO-RAL PLUS<sup>®</sup>**

**INSECTICIDE CATTLE EAR TAG**

Active Constituents:  
200g/kg COUMAPHOS  
200g/kg DIAZINON

(ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of  
buffalo fly (*Haematobia irritans exigua*),  
including synthetic pyrethroid resistant strains,  
on beef and dairy cattle for up to 4 months.

*(cattle pictogram)*

**100 tags**

**In prepacks of 10 tags which it is illegal to sell separately**



**Bayer**



**DIRECTIONS FOR USE****DOSAGE**

Apply 2 tags to each animal – one tag in each ear.

Apply as indicated in the diagrams

*(Pictogram – loading the applicator)*

*Caption.* Figure 1. Disinfect pliers prior to use. Place male button onto pin.

*(Pictogram – loading the applicator)*

*Caption.* Figure 2. Slide tag under the clip of the pliers by depressing the lever.

*(Pictogram – positioning the applicator)*

*Caption.* Figure 3. Position tag in the centre portion of the back side of the ear.

*(Pictogram – correctly placed tag)*

*Caption.* Figure 4. Apply the tag between the second and third rib cartilage. Do not penetrate any cartilage rib or blood vessel.

**GENERAL INSTRUCTIONS**

All mature animals in the herd should be tagged. Co-Ral Plus will provide effective control of buffalo flies if used regularly on all animals in the group. The level and duration of control may be reduced under conditions of high fly pressure.

Replace tags as necessary.

Calves less than 3 months should not be tagged as ear damage may result.

Remove tags at end of fly season or prior to slaughter.

Continual exposure to a single class of insecticide (eg, pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of buffalo flies developing resistance it is important to rotate the class of insecticide used and/or the method of buffalo fly control on a seasonal basis. Co-Ral Plus contains the organophosphate insecticides coumaphos and diazinon. Co-Ral Plus may be seasonally rotated with ear tags from other insecticide groups.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIODS:**

**MEAT: NIL**

**MILK: NIL**

**TRADE ADVICE**

**EXPORT SLAUGHTER INTERVAL (ESI): The minimum time between removal of ear tags and slaughter for export is zero (0) days.**

**CO-RAL PLUS®  
INSECTICIDE CATTLE EAR TAG****DISPOSAL**

Destroy empty containers by crushing them. Disposal of containers and spent tags at a local authority landfill that does not burn its refuse. If not available bury the containers and spent tags at a depth of 500mm or more in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burned.

**Warranty.** Bayer Australia Limited (BAL) warrants that this product is of merchantable quality and fit for its intended purpose indicated on this label. Failure to use the product strictly as directed may be illegal, prove dangerous or render the product ineffective. Notwithstanding anything else contained on this label, BAL's liability is limited to replacing this product or supplying equivalent product or paying the cost of replacing this product, at its discretion.

**CUSTOMER INFORMATION LINE**

**1800 678 368** TOLL FREE from anywhere in Australia  
9.00 am to 4.00 pm (Eastern Time) Monday to Friday  
[www.bayeranimal.com.au](http://www.bayeranimal.com.au)

**STORAGE**

Store below 30°C (Room Temperature)

APVMA Approval No 60662/10x10/0710

Batch  
Expiry

(APN Bar Code Box)

**CO-RAL PLUS®  
INSECTICIDE CATTLE EAR TAG****SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Additional information is in the Material Safety Data Sheet.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT.**

Use tags only on cattle. DO NOT contaminate dams, streams or waterways with the tags or used containers.



Bayer Australia Ltd

ACN 000 138 714

875 Pacific Highway

Pymble, NSW 2073

Co-Ral® and Co-Ral Plus® are registered trademarks of Bayer AG, Leverkusen, Germany.

Manufactured in the USA

**CO-RAL PLUS<sup>®</sup>**

**INSECTICIDE CATTLE EAR TAG**

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS**  
**FOR ANIMAL TREATMENT ONLY**

**CO-RAL PLUS®**  
**INSECTICIDE CATTLE EAR TAG**

Active Constituents:

200g/kg COUMAPHOS

200g/kg DIAZINON

(ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of buffalo fly (*Haematobia irritans exigua*), including synthetic pyrethroid resistant strains, on beef and dairy cattle for up to 4 months.

**WITHHOLDING PERIODS: MEAT:NIL MILK:NIL**

**TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI):** The minimum time between removal of ear tags and slaughter for export is (0) days.

**NOT TO BE SOLD SEPARATELY BEFORE USE READ ALL DIRECTIONS ON THE OUTER PACK**

**SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Additional information is in the Material Safety Data Sheet.

**STORAGE**

Store below 30°C (Room Temperature).

APVMA Approval No 60662/10x10/0710

Batch

Expiry

**10 tags**



**Bayer**

Bayer Australia Ltd ACN 000 138 714

875 Pacific Highway

Pymble, NSW 2073

Co-Ral® and Co-Ral Plus® are registered trademarks of Bayer AG, Leverkusen, Germany.

Manufactured in the USA



**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS**  
**FOR ANIMAL TREATMENT ONLY**

**CO-RAL PLUS<sup>®</sup>**

**INSECTICIDE CATTLE EAR TAG**

Active Constituents:  
200g/kg COUMAPHOS  
200g/kg DIAZINON

(ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of  
buffalo fly (*Haematobia irritans exigua*),  
including synthetic pyrethroid resistant strains,  
on beef and dairy cattle for up to 4 months.

*(cattle pictogram)*

**500 tags**

**In prepacks of 10 tags which it is illegal to sell separately**



**Bayer**



**DIRECTIONS FOR USE****DOSAGE**

Apply 2 tags to each animal – one tag in each ear.

Apply as indicated in the diagrams

*(Pictogram – loading the applicator)*

*Caption.* Figure 1. Disinfect pliers prior to use. Place male button onto pin.

*(Pictogram – loading the applicator)*

*Caption.* Figure 2. Slide tag under the clip of the pliers by depressing the lever.

*(Pictogram – positioning the applicator)*

*Caption.* Figure 3. Position tag in the centre portion of the back side of the ear.

*(Pictogram – correctly placed tag)*

*Caption.* Figure 4. Apply the tag between the second and third rib cartilage. Do not penetrate any cartilage rib or blood vessel.

**GENERAL INSTRUCTIONS**

All mature animals in the herd should be tagged. Co-Ral Plus will provide effective control of buffalo flies if used regularly on all animals in the group. The level and duration of control may be reduced under conditions of high fly pressure.

Replace tags as necessary.

Calves less than 3 months should not be tagged as ear damage may result.

Remove tags at end of fly season or prior to slaughter.

Continual exposure to a single class of insecticide (eg, pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of buffalo flies developing resistance it is important to rotate the class of insecticide used and/or the method of buffalo fly control on a seasonal basis. Co-Ral Plus contains the organophosphate insecticides coumaphos and diazinon. Co-Ral Plus may be seasonally rotated with ear tags from other insecticide groups.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIODS:**

**MEAT: NIL**

**MILK: NIL**

**TRADE ADVICE**

**EXPORT SLAUGHTER INTERVAL (ESI): The minimum time between removal of ear tags and slaughter for export is zero (0) days.**

**CO-RAL PLUS®  
INSECTICIDE CATTLE EAR TAG****DISPOSAL**

Destroy empty containers by crushing them. Disposal of containers and spent tags at a local authority landfill that does not burn its refuse. If not available bury the containers and spent tags at a depth of 500mm or more in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burned.

**Warranty.** Bayer Australia Limited (BAL) warrants that this product is of merchantable quality and fit for its intended purpose indicated on this label. Failure to use the product strictly as directed may be illegal, prove dangerous or render the product ineffective. Notwithstanding anything else contained on this label, BAL's liability is limited to replacing this product or supplying equivalent product or paying the cost of replacing this product, at its discretion.

**CUSTOMER INFORMATION LINE**

**1800 678 368** TOLL FREE from anywhere in Australia  
9.00 am to 4.00 pm (Eastern Time) Monday to Friday  
[www.bayeranimal.com.au](http://www.bayeranimal.com.au)

**STORAGE**

Store below 30°C (Room Temperature)

APVMA Approval No 60662/50x10/0710

Batch  
Expiry

*(APN Bar Code Box)*

**CO-RAL PLUS®  
INSECTICIDE CATTLE EAR TAG****SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Additional information is in the Material Safety Data Sheet.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT.**

Use tags only on cattle. DO NOT contaminate dams, streams or waterways with the tags or used containers.



Bayer Australia Ltd

ACN 000 138 714

875 Pacific Highway

Pymble, NSW 2073

Co-Ral® and Co-Ral Plus® are registered trademarks of Bayer AG, Leverkusen, Germany.

Manufactured in the USA

**CO-RAL PLUS<sup>®</sup>**

**INSECTICIDE CATTLE EAR TAG**

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS**  
**FOR ANIMAL TREATMENT ONLY**

**CO-RAL PLUS<sup>®</sup>**  
**INSECTICIDE CATTLE EAR TAG**

Active Constituents:

200g/kg COUMAPHOS

200g/kg DIAZINON

(ANTICHOLINESTERASE COMPOUNDS)

For the control of organophosphate susceptible strains of buffalo fly (*Haematobia irritans exigua*), including synthetic pyrethroid resistant strains, on beef and dairy cattle for up to 4 months.

**WITHHOLDING PERIODS: MEAT:NIL MILK:NIL**

**TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI):** The minimum time between removal of ear tags and slaughter for export is (0) days.

**NOT TO BE SOLD SEPARATELY BEFORE USE READ ALL DIRECTIONS ON THE OUTER PACK**

**SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves. Do not allow children to play with ear tag.

**REHANDLING:** When removing cattle ear tags wear rubber gloves. After each day's use, wash gloves.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Additional information is in the Material Safety Data Sheet.

**STORAGE**

Store below 30°C (Room Temperature).

APVMA Approval No 60662/50x10/0710

Batch

Expiry

**10 tags**



**Bayer**

Bayer Australia Ltd ACN 000 138 714

875 Pacific Highway

Pymble, NSW 2073

Co-Ral<sup>®</sup> and Co-Ral Plus<sup>®</sup> are registered trademarks of Bayer AG, Leverkusen, Germany.

Manufactured in the USA