



Product Name: Bromakil Power Block For Rats and Mice
APVMA Approval No: 80388 / 130542



Label Name:	Bromakil Power Block For Rats and Mice
Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENT: 0.05 g/kg BROMADIOLONE
Mode of Action:	
Statement of Claims:	Weather-proof bait for the control of rats and mice, including those resistant to other anticoagulants For use in and around domestic, commercial, public services and industrial buildings
Net Contents:	FOR 20 G LOOSE BLOCKS: NET CONTENTS 1 - 15 kg Contains 50 - 750 blocks each 20 g FOR 20 G BLOCKS IN SACHETS: NET CONTENTS 1 - 15 kg Contains 50 - 750 x 20 g measure packs which it is illegal to sell separately FOR 20 G MEASURE PACK SACHETS: NET CONTENTS 20 g
Restrains:	DO NOT exceed 3 m between bait stations for mice or 9 m for rats. DO NOT place baits in open.
Directions for Use:	This section contains file attachment.

--	--

Other Limitations:	
---------------------------	--

Withholding Periods:	
-----------------------------	--

Trade Advice:	
----------------------	--

General Instructions:	<p>Blocks contain human taste deterrent which prevents accidental consumption by children. Try not to touch the bait as this may deter rats and mice from eating it. Please use gloves. Usually rats and mice die within 3 to 5 days after eating the bait.</p> <p>If reinfestation should occur, you can repeat treatment once. For further treatments, it is strongly advised to alternate with a product containing a different active ingredient to avoid the development of genetic resistance.</p>
------------------------------	--

Resistance Warning:	
----------------------------	--

Precautions:	<p>The use of this product for the control of protected native rodents requires permission from wildlife authorities.</p> <p>Do not allow bait to contaminate foodstuffs or food intended for human or animal consumption.</p> <p>Do not apply bait to crops.</p> <p>Place baits in locations or bait stations which are inaccessible to other animals and birds.</p> <p>This product is hazardous to pigs, cats, dogs, native wildlife and poultry.</p> <p>This product is restricted to use in and around buildings (within 2 metres) or enclosed spaces (e.g., drains).</p>
---------------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.</p>
---------------------	---

Storage and Disposal:	<p>FOR ALL PACK SIZES</p> <p>STORAGE AND DISPOSAL</p> <p>Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Do not store for prolonged periods in direct sunlight.</p> <p>Break, crush or puncture and deliver empty packaging and unused bait to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging or unused bait 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>Do not use containers which have held bait for any other purpose.</p> <p>Dispose of carcasses safely by burning or burying in an approved waste management facility. Do not place dead rats or mice in refuse bins or rubbish tips.</p> <p>Dispose of spoiled blocks by placing in plastic bags and putting in garbage. Ensure baits are removed when rodent activity has ceased.</p>
------------------------------	--

Safety Directions:	Poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with skin. When preparing product for use, wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves.
---------------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26. Vitamin K1 (phytomenadione) is antidotal.
--------------------------------	--

First Aid Warnings:	
----------------------------	--

DIRECTIONS FOR USE

SITUATION	PESTS	RATE	CRITICAL COMMENTS:
In and around agricultural, commercial, domestic and industrial situations. Apply where pests occur, eg, food processing factories or stores, laundries, restaurants, ships, boiler houses, hotels and motels, sub-floors, floor voids and wall cavities.	Rats (<i>Rattus rattus</i> , <i>Rattus norvegicus</i>)	3 or more baits per bait station	The feeding behaviour of rats and mice is slightly different. Rats feed in large quantities in few locations whereas mice are more erratic and tend to feed in different places at different times.
	Mice (<i>Mus musculus</i>)	3 or more baits per infested area	First determine the infested areas. Where droppings are seen, inside ceiling cavities, along runs are locations more probably frequented by rats and mice. Remove as much alternative food as possible. Check bait consumption after 3 days. Replace eaten baits. Where a high level of consumption is noticed, place more baits. Remove baits in new locations where there has been no take. Inspect again 3 days later and then once a week until feeding ceases. Normally treatment takes 2 to 3 weeks.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.