



**Australian Government**  
**Australian Pesticides and**  
**Veterinary Medicines Authority**



## APPENDIX 2

### TEMPLATE FOR RELEVANT LABEL PARTICULARS (RLPs) (Veterinary Products)

Select appropriate:

- ☒ New Product (include all applicable RLPs) OR  
☐ Variation (highlight instructions that are being varied). Approval no. of label being varied: .....



Signal heading:	<b>CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING FOR ANIMAL TREATMENT ONLY</b>																									
Product name:	Pharmachem Swat Insecticide for Horses																									
Active constituent/s:	87 g/L Permethrin (25:75 cis:trans)																									
Statement of claims:	For the control of susceptible Buffalo Fly ( <i>Haematobia irritans exigua</i> ), Stable Fly ( <i>Stomoxys calcitrans</i> ) and sandflies ( <i>Culicoides</i> spp.) on horses.  Aids in the treatment of Queensland Itch  Low-irritant formulation																									
Net contents:	100 mL [250mL, 500 mL, 1L, 5L]																									
Directions for Use Heading:	<b>DIRECTIONS FOR USE:</b>																									
Restrains:	<b>Restraint DO NOT USE on horses that may be slaughtered for human consumption</b>																									
Contraindications:	This product is contraindicated for use in foals under 12 weeks of age.																									
Precautions:																										
Side effects:																										
Dosage & administration:	<p>Do not apply more than 30 mL per animal.</p> <table border="0"> <thead> <tr> <th><u>Animal and Target Pest</u></th> <th><u>Dosage</u></th> </tr> </thead> <tbody> <tr> <td colspan="2">Horses, by Ready-to-Use Wipe-on application:</td> </tr> <tr> <td colspan="2"><u>Biting Flies:</u></td> </tr> <tr> <td>Sandflies, including <i>Culicoides</i> spp.,</td> <td rowspan="2">3 ml / 100 kg bodyweight per animal</td> </tr> <tr> <td>Buffalo Fly (<i>Haematobia irritans exigua</i>)</td> </tr> <tr> <td colspan="2"><u>Queensland Itch:</u></td> </tr> <tr> <td>(Hypersensitivity to <i>Culicoides</i> spp)</td> <td>Reapply as needed but not more often than once every 7 days.</td> </tr> <tr> <td colspan="2"><u>Biting and Nuisance Flies:</u></td> </tr> <tr> <td>Stable Fly (<i>Stomoxys calcitrans</i>),</td> <td rowspan="2">6 mL / 100 kg bodyweight up to a maximum of 30 mL per animal</td> </tr> <tr> <td>Buffalo Flies and Sandflies</td> </tr> <tr> <td colspan="2"><u>Administration</u></td> </tr> <tr> <td colspan="2"><b>SHAKE WELL BEFORE USE</b></td> </tr> <tr> <td colspan="2">Apply as a whole body wipe with the Swat applicator mitt when fly numbers exceed</td> </tr> </tbody> </table>		<u>Animal and Target Pest</u>	<u>Dosage</u>	Horses, by Ready-to-Use Wipe-on application:		<u>Biting Flies:</u>		Sandflies, including <i>Culicoides</i> spp.,	3 ml / 100 kg bodyweight per animal	Buffalo Fly ( <i>Haematobia irritans exigua</i> )	<u>Queensland Itch:</u>		(Hypersensitivity to <i>Culicoides</i> spp)	Reapply as needed but not more often than once every 7 days.	<u>Biting and Nuisance Flies:</u>		Stable Fly ( <i>Stomoxys calcitrans</i> ),	6 mL / 100 kg bodyweight up to a maximum of 30 mL per animal	Buffalo Flies and Sandflies	<u>Administration</u>		<b>SHAKE WELL BEFORE USE</b>		Apply as a whole body wipe with the Swat applicator mitt when fly numbers exceed	
<u>Animal and Target Pest</u>	<u>Dosage</u>																									
Horses, by Ready-to-Use Wipe-on application:																										
<u>Biting Flies:</u>																										
Sandflies, including <i>Culicoides</i> spp.,	3 ml / 100 kg bodyweight per animal																									
Buffalo Fly ( <i>Haematobia irritans exigua</i> )																										
<u>Queensland Itch:</u>																										
(Hypersensitivity to <i>Culicoides</i> spp)	Reapply as needed but not more often than once every 7 days.																									
<u>Biting and Nuisance Flies:</u>																										
Stable Fly ( <i>Stomoxys calcitrans</i> ),	6 mL / 100 kg bodyweight up to a maximum of 30 mL per animal																									
Buffalo Flies and Sandflies																										
<u>Administration</u>																										
<b>SHAKE WELL BEFORE USE</b>																										
Apply as a whole body wipe with the Swat applicator mitt when fly numbers exceed																										

18 Wormald Street, Symonston ACT 2609

PO Box 6182, Kingston ACT 2604 Australia

Tel: +61 2 6210 4700 Fax: +61 2 6210 4874

www.apvma.gov.au ABN 19 495 043 447

	<p>acceptable levels. For the first application with a new applicator mitt, apply twice the dosage to charge the mitt. Pay special attention to where pests congregate, including the face, being careful not to get product in the eyes:</p> <ul style="list-style-type: none"> <li>• For Sandflies – wipe neck withers and around tailhead</li> <li>• For Buffalo Flies – wipe sides, shoulders and belly</li> <li>• For Queensland Itch – Apply as directed above</li> <li>• For Stable Flies – wipe legs, shoulders and belly</li> </ul>
General directions:	<p>Pharmachem Swat Insecticide For Horses will give effective control of biting and nuisance flies when used as directed. The level and duration of control may be reduced due to high fly pressure or on working horses due to the effects of perspiration.</p> <p><b>Application:</b> For dirty horses, shampoo and rinse thoroughly. Wear protective Swat Applicator Mitt when applying. Shake well before using. Loosen cap and squeeze bottle to fill measuring chamber with required dosage. Remove cap and apply to applicator mitt. Apply 3 to 6 mL per 100 kg bodyweight, depending on targeted pests, up to a maximum of 30 mL per animal.</p>
Withholding Period/s:	<b>WITHHOLDING PERIOD (MEAT): DO NOT USE on horses that may be slaughtered for human consumption.</b>
Trade Advice:	
Safety Directions:	May irritate the eyes. Avoid contact with the eyes. Wash hands after use.
First Aid:	If poisoning occurs contact a doctor or Poisons Information Centre, Phone Australia 13 11 26
Additional user safety:	If additional hazard information is required, refer to the Material Safety Data Sheet which is available from Pharmachem – Telephone (07) 3868 0333,
Environmental statements:	Protection of Wildlife, Fish, Crustaceans and the Environment: Dangerous to fish. Do not contaminate dams, rivers, streams, drains or waterways with the chemical or used containers.
Disposal:	Dispose of empty container by wrapping in paper and putting in garbage.
Storage:	Store below 30°C (Room Temperature) in a dry place in the upright, tightly closed original container. Protect from light.
Name & address:	<p>Pharmachem, Unit 6, 70 Fison Ave West, EAGLE FARM QLD 4009</p> <p>Telephone: 07 3868 0333, Fax: 07 3868 0344</p>

The following is for APVMA use only:

APVMA approval no.	68798/59107
--------------------	-------------

18 Wormald Street, Symonston ACT 2609

PO Box 6182, Kingston ACT 2604 Australia

Tel: +61 2 6210 4700 Fax: +61 2 6210 4874

www.apvma.gov.au ABN 19 495 043 447