

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

COOPERS®
AMITIK® EC
CATTLE DIP AND PIG SPRAY



ACTIVE CONSTITUENT: 125 g/L AMITRAZ
SOLVENT: 600 g/L HYDROCARBONS, LIQUID

For the Control of:

- Organophosphate and Synthetic Pyrethroid resistant Cattle Tick
- Paralysis Tick and Bush Tick on Beef and Dairy Cattle, and
- Cattle Tick on Sheep, Goats, Deer and Certain Circus Animals in NSW only, and
- Mange on Pigs

2L



COOPERS®
AMITIK® EC
CATTLE DIP AND PIG SPRAY

DIRECTIONS FOR USE:

Contraindications: This product should not be used on horses, other equines, felines or chihuahua dogs.

Precaution: Treat animals in accordance with good agricultural practice. Animals should not be treated in extremely hot weather (>40°C) or if under heat stress. Ensure adequate shade is available post-treatment.

LIVESTOCK	PEST	STATE	RATE	CRITICAL COMMENTS	
Cattle	Cattle Tick (<i>Rhipicephalus (Boophilus) microplus</i>)	NSW, QLD, WA, NT only	400 mL/200 L water	Treat at intervals of 19-21 days.	Controls organophosphorus and synthetic pyrethroid resistant strains of the cattle tick.
	Paralysis Tick (<i>Ixodes holocyclus</i>)			Treat at intervals of 7-10 days.	
	Bush Tick (NZ Cattle Tick) (<i>Haemaphysalis langicarnis</i>)	NSW, QLD, WA, NT and VIC		Treat at intervals of 7-21 days.	
Sheep, goats, deer and certain circus animals	Cattle Tick (<i>Rhipicephalus (Boophilus) microplus</i>)	NSW only	400 mL/200 L water	Treat animals on quarantined holdings at 14-21 day intervals. Treat animals being moved at 3 to 7 day intervals.	
Pigs	Mange (<i>Sarcoptes scabiei</i> var. <i>suis</i>)	All States	40 mL/10 L water	Remove feed and bedding from pens, cover drinking bowls and clean out pen. Spray pigs with minimum 2 L spray wash, especially inside ears and legs, under jaws and areas covered by scabs. Replace discarded bedding with clean material. Repeat treatment after 7-10 days. Refer also to General Directions.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHOLDING PERIODS:

MEAT: ZERO (0) DAYS.

MILK: ZERO (0) DAYS.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): Cattle and Sheep: ZERO (0) days. The ESI on the label was correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 1800 226 511 or the APVMA (www.apvma.gov.au/residues). Pigs, Goats and Deer: This product does not have an ESI established. For advice on the ESI, contact the manufacturer on 1800 226 511 before using this product.

GENERAL DIRECTIONS:

Hand Spraying: Ensure all parts of the animal are thoroughly wet, especially belly, inside legs and ears (most important for pigs). Animals should be restrained in a crush for spraying. A pump capable of delivering a coarse spray should be used. Knapsack sprays are NOT recommended.

A fresh spray wash must be made up for each day's treatment. Clean out the spray reservoir at the end of each day and discard any remaining wash. Two treatments at 7-10 day intervals are recommended for sows and gilts before entering farrowing pens, for piglets at weaning and for pigs newly brought into the pigery. Boars should be treated every 3 months.

Spray Races:

	UNSTABILISED	STABILISED
Action	Stabilisation is not required when all spraywash is used within 24 hours.	Stabilisation is required when unused spray wash is retained for later use.
Initial charging	400 mL/200 L water	400 mL/200 L water
Mixing	Pour required amount of AMITIK EC into a bucket with approximately 10 L of water and stir thoroughly. Pour contents of bucket into reservoir or sump. Rinse bucket and add rinsings. Fill reservoir with total volume of water required.	
Stirring	Spraywash in sump must be stirred thoroughly at the start of each spraying session and again if there is a break of more than half an hour during spraying.	
Reinforcing	Each time the level of spraywash in the sump drops by 200 L, add 250 mL AMITIK EC, without adding water, and continue spraying. If level of wash is allowed to fall excessively without reinforcement, concentration of AMITIK EC will fall and efficacy will be reduced. Repeat reinforcement until no more wash can be pumped out. If continuing spraying, make up more wash at the initial charge rate and complete spraying. When wash is polluted, clean out sump before recharging.	
Stabilising	Important: Because the wash is not stabilised, any remaining wash must be discarded and a new batch made up for the next spraying session. Alternatively, wash may be stabilised as opposite.	If, after spraying, unused wash is retained in the sump, add hydrated lime (AMITIK Stabiliser). Mix lime to a smooth paste with water and strain into wash, at the rate of 2 kg/200 L of spraywash and stir vigorously. Further additions of hydrated lime at the rate of 1 kg/200 L wash must be made at intervals of 2 months when regular spraying is not in progress. Stir or agitate at regular intervals.
Sampling	Sampling NOT required.	Stir sump vigorously before taking a sample from a nozzle on the race. Sample bottles are available from your local agent or Coopers Representative. Analysis of dip samples is available through Biosecurity Queensland, Chemical Residue Laboratory, Health and Food Sciences Precinct, 39 Kessels Road, Coopers Plains, Qld, 4108.

For further information contact Coopers Customer Service on 1800 226 511.

SAFETY DIRECTIONS: May irritate the eyes and skin. Avoid contact with eyes and skin. Do NOT inhale spray mist. When preparing spray or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing, gloves and face shield.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 131126.

Additional information is listed in the safety data sheet.

Protection of Wildlife, Fish, Crustacea and the Environment: AMITIK EC is toxic to fish. Do NOT contaminate dams, rivers or streams with AMITIK EC, used containers or spray wash containing AMITIK EC. Do NOT use empty containers for any other purpose. If used in accordance with the directions and recommendations, AMITIK EC will not give rise to hazards to livestock or wildlife.

Warranty: Intervet Australia Pty Limited (IAPL), trading as MSD Animal Health, warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by any act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.

Disposal: This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple or pressure rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection or similar container management program site. The cap should not be replaced but may be taken separately.

STORE below 30°C (Room Temperature) in the closed original container in a dry, well-ventilated area, out of direct sunlight.



SEE BELOW ON CONTAINER FOR BATCH AND EXPIRY

APVMA Approval No. 45044/58332

COOPERS ANIMAL HEALTH

Intervet Australia Pty Limited
(trading as MSD Animal Health)
91-105 Harpin Street,
Bendigo East VIC 3550
Phone: 1800 226 511

® Registered Trademark

© Yellow (PANTONE® 123) the predominant colour of Coopers packaging is a Registered Trademark. PANTONE is a Registered Trademark of Pantone, Inc.

GHS Information

May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Get medical advice or attention if you feel unwell. Wash contaminated clothing before reuse. If SWALLOWED: Rinse mouth. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice. In case of fire, use carbon dioxide, dry chemical, foam, water fog. For additional information refer to SDS (www.coopersanimalhealth.com.au).



154688 R4