



# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Active Constituent: 600g/L DICHLORPROP  
PRESENT AS THE POTASSIUM SALT



For the integrated control of all varieties of Lantana, Sicklepod, Wild Verbena, Phyla Weed (Lippia, Condamine Couch), Scotch/Spear Thistle, Harrisia Cactus, Smart Weed and Galvanised Burr as per the Directions for use table.

**ALWAYS READ THE LABEL AND USE ONLY AS DIRECTED**

For specialist advice in an emergency dial  
1800 033 111  
24 hours Australia wide

5L,20L



Agricrop Pty Ltd ABN 100 84 473 309  
1569 Wynnum Road  
Tingalpa, Queensland 4173  
Telephone: 07 3348 4113 Facsimile: 07 3348 2702

## DIRECTIONS FOR USE

**RESTRAINTS:** Avoid spraying during periods of drought, extreme cold or if rain is likely within 4 hours of application.

Situation	Weeds Controlled	Rate	Critical Comments
Non-crop Rights of way	Lantana spp. including Creeping Lantana	1L/200L water	Completely wet all leaves and stems of target plants. For best results spray at flowering
		5mL/1L water	<b>Knapsack rate.</b> For best results spray at flowering.
		6-8L/ha	<b>Helicopter rate.</b> For areas that are inaccessible to ground equipment spray by helicopter using raindrop nozzles in a minimum of 200 litres of water per hectare. Using the higher rate for mature plants. A follow up spray may be necessary.
	Sicklepod (Cassia obtusifolia) Morning Glory	1L/200L water	Completely wet all leaves and stems of target plants using a high volume spray.
	Wild Verbena Scotch/Spear Thistle Smart Weed	5mL/1L water	Knapsack rate.
	Galvanised Burr	1l/100L water with Spraymate Activator	Apply to actively growing young plants.
	Harrisia Cactus	1L/60L water	Good soil moisture essential and spray at fruiting.
	Phyla Weed (Lippia, Condamine Couch) Maynes Pest	1L/200 water	Completely wet all leaves and stems of target plants.
		5L/ha	Boomspray using high water volumes – minimum 100L/hectare. For best results spray at flowering.
		5mL/1L water	Knapsack rate.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:**

Before opening, carefully read Directions for Use, Pre-cautionary Statements, Safety Directions and First Aid Instructions.

For best results, Agricrop Lantana 600 should be applied when the Lantana and weeds listed are growing vigorously and preferably flowering. This is usually when the weather is warm and ample moisture is present in the soil. A further spray may be necessary to control regrowth or replace chemical wash off by sudden downpours. Complete coverage of all foliage is essential.

**MIXING INSTRUCTIONS:**

Agricrop Lantana 600 is readily miscible with both hard and soft water. Add the required amount of this product to water in the spray tank and stir thoroughly.

**EQUIPMENT MAINTENANCE AND USE:**

Equipment that has been used for this chemical should not be used for the application of other materials to sensitive plants, unless it has been well washed out with hot soapy water or 1% solution of ammonia, followed by several clear water rinses.

**RESISTANT WEEDS WARNING:**

Agricrop LANTANA 600 Herbicide is a member of the phenoxy group of herbicides.

Agricrop LANTANA 600 has the disruptors of plant cell growth mode action. For weed resistance management Agricrop LANTANA 600 is a Group I herbicide.

Some naturally occurring weed biotypes resistant to Agricrop LANTANA 600 and other disruptors of plant cell growth herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Agricrop LANTANA 600 or other Group I herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Agricrop Pty Ltd accepts no liability for any losses that may result from the failure of Agricrop LANTANA 600 to control resistant weeds.

**PROTECTION OF CROPS, NATIVE AND OTHER NONTARGET PLANTS:**

**Drift Warning:** DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures. In particular, avoid spray drift and vapour movement onto susceptible crops, such as cotton, tobacco, tomatoes, vines, fruit trees, ornamentals, oilseed and legume crops and other susceptible plants and trees (e.g. Kurrajongs, Belahs).

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:**

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

**STORAGE AND DISPOSAL:**

Store in the closed, original container in a cool, dry, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilisers. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS:**

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product on skin, immediately wash area with soap and water. If in eyes wash it out immediately. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

**FIRST AID:**

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone 131126). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**MSDS:**

For further information refer to the Material Safety Data Sheet (MSDS).

**CONDITIONS OF SALE:**

Agricrop Pty. Ltd. ('Agricrop') shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Agricrop's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Agricrop has any authority to add to or alter these conditions.

NRA Approval No.: 57899/0603

**In case of Emergency: Phone 1800 033 111**

Australia Wide - Toll Free 24 hours.