

SAFETY DATA SHEET

SECTION 1

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Apparent Hardball Low Odour 700 Dual Salt Herbicide

Other Names:	2,4-D as dimethylamine and diethanolamine salts, a phenoxy herbicide, Group 4 Herbicide.
Use:	A liquid broadleaf herbicide.
Company:	AIRR Apparent Pty Ltd
Address:	15/16 Princes Street, Newport NSW 2106.
Phone Number:	03 5820 8400
Email:	enquiries@apparentag.com.au
Emergency Contact:	0437 303 689

SECTION 2

HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of Safe Work Australia. Not classified as a Dangerous Good according to the ADG Code.

Global Harmonization System (GHS) classification:

Acute Toxicity – Oral: Hazard Category 4. Sensitization - Skin: Hazard Category 1. Eye Damage/Irritation: Hazard Category 1. Hazardous to the Aquatic Environment – Long-Term (Chronic) Hazard. Hazard Category 2.

Signal Word: DANGER.

Hazard statements:

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.
- Precautionary Statements:

Prevention:

- P261 Avoid breathing mist, vapours or spray.
- P264 Wash hands, arms and face thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

C		
	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if feel unwell.
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P321	Specific treatment (see Safety Directions on the product label).
	P330	Rinse mouth.
	P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
	P362 + P364	Take off contaminated clothing and wash before re-use
	P391	Collect spillage.

SECTION 2 HAZARDS IDENTIFICATION (Continued)

Disposal:

P501 Dispose of contents/container in accordance with national regulations.



SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CHEMICAL	CAS NUMBER	PROPORTION
2,4-D present as the dimethylamine	2008-39-1	700 a/l
and diethanolamine salts	5742-19-8	700 g/L
Other ingredients (including water) determined not to be hazarde	Balance	

SECTION 4

FIRST AID MEASURES

FIRST AID	
Ingestion:	If swallowed do NOT induce vomiting. Wash mouth with water. If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 131 126.
Eye contact:	Immediately hold eyes open and flood gently with clean water. Ensure irrigation under eyelids by occasionally lifting them. Do not try to remove contact lenses unless trained. If irritation persists, seek medical advice.
Skin contact:	Remove contaminated clothing. Wash skin with soap and water to remove chemical. If skin is irritated, seek medical advice.
Inhalation:	Remove to fresh air and observe until recovered. If effects persist, seek medical advice. In severe case, symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.
Advice to Dec	tor: In humans, prolonged breathing of 2.4 D sources coughing, humans, distingues, and

Advice to Doctor: In humans, prolonged breathing of 2,4-D causes coughing, burning, dizziness, and temporary loss of muscle coordination. Other symptoms of poisoning can be fatigue and weakness with possible nausea. On rare occasions following high levels of exposure, there can be inflammation of the nerve endings with muscular effects.

SECTION 5

FIRE FIGHTING MEASURES

Specific Hazard: Generally considered a low risk due to the water content, but once the water has evaporated the product is combustible.

Extinguishing media: Not flammable. Choose extinguishing media to suit the burning material. Contain all runoff.

Hazards from combustion products: There is no risk of an explosion from this product under normal circumstances if involved in a fire. Product is unlikely to decompose until heated to dryness. On further heating will emit toxic fumes. Firefighters to wear self-contained breathing apparatus and suitable protective clothing if risk to of exposure to vapour or smoke.

Precautions for fire-fighters and special protective equipment: Isolate fire area. Evacuate downwind residents. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke or vapours generated.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Emergency procedures: Wear PVC or rubber apron, overalls, elbow-length PVC gloves and face shield. In the case of spillage, stop leak if safe to do so, and contain spill. Prevent spillage entering drains or watercourses. Contain and absorb spilled material with absorbent material such as sand, clay, cat litter or material such as vermiculite. Collect recoverable product for use as labelled on the product.

SECTION 6 ACCIDENTAL RELEASE MEASURES (Continued)

Vacuum, shovel or pump contaminated spilled material into an approved container and dispose of waste as per the requirements of Local or State Waste Management Authorities. Keep out animals and unprotected persons. Launder protective clothing before storage or re-use.

Material and methods for containment and cleanup procedures: To clean spill area, tools and equipment, wash with a solution of soap, water and acetic acid/vinegar. Follow this with a neutralisation step of washing the area with a bleach or caustic soda ash solution. Finally, wash with a strong soap and water solution. Absorb, as above, any excess liquid and add both solutions to the drums of waste already collected.

This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Prevent from entering drains, waterways or sewers. Use earthen bunds or absorbent bunding to prevent spreading of spillage.

SECTION 7

HANDLING AND STORAGE

Precautions for Safe Handling: No smoking, eating or drinking should be allowed where material is used or stored. Poisonous if inhaled or swallowed. Corrosive to the eyes and skin. Avoid contact with eyes and skin. Will irritate the nose and throat. DO NOT inhale spray mist. When opening the container and preparing spray or using diluted concentrate, wear protective waterproof clothing, elbow length chemical resistant gloves, impervious footwear and goggles and half face respirator with organic vapour/gas cartridge or canister or full facepiece respirator. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves. If applying by hand wear half face respirator with organic vapour/gas cartridge or canister. If clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking, wash hands, arms, and face thoroughly with soap and water. After each day's use wash gloves, goggles, respirator (and if rubber wash with detergent and warm water) and contaminated clothing.

Conditions for Safe Storage: Store in the closed, original container in a well ventilated area away from children, animals, food, feedstuffs, seed and fertilisers. Do not store for prolonged periods in direct sunlight. Not classified as a Dangerous Good. This product is a Schedule 6 Poison (S6) and must be stored, transported and sold in accordance with the relevant Health Department regulations.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Exposure guidelines have not been established for this product by Safe Work Australia.

Biological Limit Values:

No biological limit allocated.

Engineering controls:

Use in ventilated areas. Keep containers closed when not in use.

Personal Protective Equipment (PPE):

<u>General</u>: When opening the container and preparing spray or using diluted concentrate, wear protective waterproof clothing, elbow length chemical resistant gloves, impervious footwear and goggles and half face respirator with organic vapour/gas cartridge or canister or full facepiece respirator. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves. After use and before eating, drinking or smoking, wash hands, arms, and face thoroughly with soap and water. After each day's use wash gloves, goggles, respirator (and if rubber wash with detergent and warm water) and contaminated clothing.

<u>Personal Hygiene</u> Poisonous if inhaled or swallowed. Corrosive to the eyes and skin. Avoid contact with eyes and skin. Will irritate the nose and throat. DO NOT inhale spray mist. Clean water should be available for washing in case of eye or skin contamination. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear red/brown liquid. Odour: Ammoniacal odour. **Boiling point:** Approximately 100°C. Freezing point: Approximately 0°C. **Specific Gravity:** 1.2 - 1.3 at 20°C. Solubility in Water: Soluble in water. pH: No data available. Flammability: Not flammable. Corrosive hazard: Not corrosive. Flashpoint (°C): Not flammable. Flammability Limits (%): Not established. **Poisons Schedule:** This product is a schedule 6 (S6) poison. Formulation type: Aqueous concentrate.

SECTION 10

STABILITY AND REACTIVITY

Chemical Stability: Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

Conditions to avoid: Do not store for prolonged periods in direct sunlight.

Incompatible materials: Strong acids, strong bases and strong oxidising agents. Reaction of the concentrate or spray mix with acids will precipitate solid 2,4-D acid and significantly deactivate the product and cause blockages in spray equipment.

Hazardous decomposition products: Product is unlikely to decompose until heated to dryness. On further heating will emit toxic fumes.

Hazardous reactions: No particular reactions to avoid.

SECTION 11

TOXICOLOGICAL INFORMATION

No specific data is available for this product as no toxicity tests have been conducted on this product. Information presented is our best judgement based on similar products and/or individual components. As with all products for which limited data is available, caution must be exercised through the use of protective equipment and handling procedures to minimise exposure.

Product may cause serious damage to eyes, harmful if swallowed, respiratory tract irritant and possible skin sensitiser.

Potential Health Effects:

ACUTE EFFECTS

Swallowed: Harmful if swallowed. Acute oral LD₅₀ for 2,4-D ranges from 375 to 666 mg/kg.

- **Eye:** This product may cause eye irritation. Symptoms may include stinging and reddening of eyes and watering. If exposure is brief, symptoms should disappear once exposure has ceased.
- Skin: Harmful in contact with the skin. Avoid skin contact. Acute dermal LD₅₀ > 1500 mg/kg.
- Inhaled: Harmful by inhalation, and is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

Long Term Exposure:

Chronic toxicity: Rats given high amounts of 2,4-D in the diet for 2 years showed no adverse effects. Dogs fed lower amounts in their food for 2 years died, probably because dogs do not excrete organic acids efficiently. A human given a total of 16.3 g in 32 days therapeutically, lapsed into a stupor and showed signs of incoordination, weak reflexes, and loss of bladder control.

SECTION 11 TOXICOLOGICAL INFORMATION (Continued)

Reproductive effects: High levels of 2,4-D administered orally to pregnant rats did not cause any adverse effects. The evidence suggests that if 2,4-D causes reproductive effects in animals, this only occurs at very high doses. Thus reproductive problems associated with 2,4-D are unlikely in humans under normal circumstances.

Teratogenic effects: 2,4-D may cause birth defects at high doses. Rats fed 150 mg/kg/day on days 6 to 15 of pregnancy had offspring with increased skeletal abnormalities. This suggests that 2,4-D exposure is <u>unlikely</u> to be teratogenic in humans at expected exposure levels.

Mutagenic effects: 2,4-D was found to be non-mutagenic in most systems. 2,4-D did not damage DNA in human lung cells. However, one study found significant effects occurred in chromosomes in cultured human cells at low exposure levels. The data suggest that 2,4-D is not mutagenic or has low mutagenic potential.

Carcinogenic effects: 2,4-D fed to rats for 2 years caused an increase in malignant tumours. Female mice given a single injection of 2,4-D developed cancer (reticulum-cell sarcomas). In humans, a variety of studies give conflicting results. Several studies suggest an association of 2,4-D exposure with cancer. An increased occurrence of non-Hodgkin's lymphoma was found among a Kansas and Nebraska farm population associated with the spraying of 2,4-D.

Other studies done in New Zealand, Washington, New York, Australia, and on Vietnam veterans from the U.S. were all negative. There remains considerable controversy about the methods used in the various studies and their results. Thus, the carcinogenic status of 2,4-D is not clear.

Organ toxicity: Most symptoms of 2,4-D exposure disappear within a few days, but there is a report of liver dysfunction from long-term exposure.

Fate in humans and animals: The absorption of 2,4-D is almost complete in mammals after ingestion and nearly all of the dose is excreted in the urine. 2,4-D is readily absorbed through the skin and lungs. Men given 5 mg/kg excreted about 82% of the dose as unchanged 2,4-D. The half-life is between 10 and 20 hours in living organisms. There is no evidence that 2,4-D accumulates to significant level in mammals or in other organisms.

SECTION 12

ECOLOGICAL INFORMATION

Environmental Toxicology: This product is biodegradable. It will not accumulate in the soil or water or cause long term problems. 2,4-D is harmful to wildfowl and slightly to moderately toxic to birds. The LD₅₀ is 1000 mg/kg in mallards, 272 mg/kg in pheasants, and 668 mg/kg in quail and pigeons. Limited studies indicate a half-life of less than 2 days in fish and oysters. Concentrations of 10 mg/L for 85 days did not adversely affect the survival of adult dungeness crabs (*Metacarcinus magister*). For immature crabs, the 96-hour LC₅₀ is greater than 10 mg/L, indicating that 2,4-D is only slightly toxic. Brown shrimp showed a small increase in mortality at exposures of 2 mg/L for 48 hours. Moderate doses of 2,4-D severely impaired honeybees brood production. At lower levels of exposure, exposed bees lived significantly longer than the controls. The honeybee LD₅₀ is 0.0115 mg/bee.

Environmental Fate:

2,4-D has low soil persistence. The half-life in soil is less than 7 days. Soil microbes are primarily responsible for its breakdown. In aquatic environments, microorganisms readily degrade 2,4-D. Rates of breakdown increase with increased nutrients, sediment load, and dissolved organic carbon. Under oxygenated conditions the half-life is 1 week to several weeks. 2,4-D interferes with normal plant growth processes. Uptake of the compound is through leaves, stems, and roots. Breakdown in plants is by a variety of biological and chemical pathways. 2,4-D is toxic to most broad leaf crops especially cotton, tomatoes, beets, and fruit trees.

SECTION 13

DISPOSAL CONSIDERATIONS

Spills and Disposal: Persons involved in cleanup require adequate skin protection - see Section 8. In case of spillage, contain and absorb spilled material with absorbent material such as clay, sand or cat litter and dispose of waste in accordance with the requirements of Local or State Waste Management Authorities. Dispose of drummed wastes, including decontamination solution in accordance with the requirements of Local or State Waste Management Authorities. On site disposal of the concentrated product is not acceptable.

SECTION 13 DISPOSAL CONSIDERATIONS (Continued)

Ideally the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear[®]).

Disposal of empty containers: Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SECTION 14

TRANSPORT INFORMATION

Road & Rail Transport: This product is not classified as a Dangerous Goods under the Australian Code for the Transport of Dangerous Goods by Road and Rail. Not classified as a Dangerous Good for marine or air transport.

SECTION 15

REGULATORY INFORMATION

Under the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP), this product is a schedule 6 poison.

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 81704

This product is classified as a Hazardous Substance under the criteria of Safe Work Australia.

This product is not classified as a Dangerous Good according to the ADG Code (7th Ed).

This product is not classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

Requirements concerning special training:

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

SECTION 16

OTHER INFORMATION

Issue Date: 15 November 2021. Valid for 5 years till 15 November 2026. (Updating product

name). Key to abbreviations and acronyms used in this SDS:			
ADG Code:	Australian Dangerous Goods Code (for the Transport of Dangerous Goods by Road and		
	Rail).		
Ataxia:	Inability to control the coordinate movements of the muscles.		
Bradycardia:	Is a resting heart rate of under 60 beats per minute (adults).		
Clonic:	An abnormality in neuromuscular activity characterized by rapidly alternating muscular contraction and relaxation.		
Carcinogen:	An agent which is responsible for the formation of a cancer.		
Genotoxic:	Capable of causing damage to genetic material, such as DNA.		
HCIS:	Hazardous Chemical Information System.		
LD ₅₀ :	Median Lethal Dose. A statistically derived single dose of a substance that can be expected		
	to cause death in 50% of dosed animals.		
Mutagenic:	Capable of inducing a genetic mutation in an organism.		
Oedema:	Accumulation of fluid in tissues.		
PPE:	Personal protective equipment.		
Sarcoma:	A malignant tumour of connective or other non-epithelial tissue.		
Teratogen:	An agent capable of causing abnormalities in a developing foetus.		
TWA:	The Time Weighted Average airborne concentration over an eight-hour working day, for a		
	five day working week over an entire working life.		
Safe Work Au	ustralia: Formally known as Australian Safety & Compensation Council (ASCC) which was		
	formally known as the National Occupational Health & Safety Commission		
(NOHSC).			

SECTION 16 OTHER INFORMATION (Continued)

References

- 1. "Hazardous Chemicals Information System". Safe Work Australia HCIS website. (2021).
- 2. "Classifying Hazardous Substances" Safe Work Australia. August 2018.
- 3. Globally Harmonized System of Classification and Labelling of Chemicals (GHS). United Nations, 2017 (7th Ed).

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

End SDS.