

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: Seclira Pressurised Fly Bait

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN) Date of print 27.03.2023

1. Identification

Product identifier

Seclira Pressurised Fly Bait

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: insecticide

Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Operating Division Crop Protection

Telephone: +49 621 60-27777 E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

STOT SE 3 (Vapours may cause drowsiness and dizziness.) STOT SE 3 (irritating to respiratory system) Aquatic Acute 3 Aquatic Chronic 3

Page: 2/13

Version: 2.0

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Aerosol 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement: H223 H336 H335 H402 H412 H229	Flammable aerosol. May cause drowsiness or dizziness. May cause respiratory irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Pressurized container: May burst if heated.	
Precautionary Statemen	t:	
P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions.	
Precautionary Statemen	ts (Prevention):	
P210	Keep away from heat, hot surfaces, sparks, open flames and other	
P271	ignition sources. No smoking. Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing mist or vapour or spray.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P273	Avoid release to the environment.	
Precautionary Statemen	ts (Response):	
P312	Call a POISON CENTER or physician if you feel unwell.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Precautionary Statements (Storage):		
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.	
P405	Store locked up.	
Precautionary Statements (Disposal):		
P501	Dispose of contents and container to hazardous or special waste collection point.	

Page: 3/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Labeling of special preparations (GHS): Repeated exposure may cause skin dryness or cracking.

According to UN GHS criteria

Hazard determining component(s) for labelling: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3- (tetrahydro-3-furylmethyl)guanidine, Acetone

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Biocidal product, insecticide

Hazardous ingredients (GHS) According to UN GHS criteria

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Content (W/W): 1 % Acute Tox. 4 (oral) CAS Number: 165252-70-0 Aquatic Acute 1 Aquatic Chronic 1

Acetone

Content (W/W): < 30 % CAS Number: 67-64-1 EC-Number: 200-662-2 INDEX-Number: 606-001-00-8

Asp. Tox. 2 Flam. Liq. 2 Eye Dam./Irrit. 2A STOT SE 3 (drowsiness and dizziness) STOT SE 3 (irr. to respiratory syst.) H225, H319, H305, H336, H335

H302, H400, H410

Dimethyl ether

Page: 4/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Content (W/W): < 20 % CAS Number: 115-10-6 EC-Number: 204-065-8 INDEX-Number: 603-019-00-8 Press. Gas Liquef. Gas Flam. gases (incl. chem. unstable gases) 1A H280, H220, H230

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Page: 5/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN) Date of print 27.03.2023

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C The packed product must be protected against exceeding the indicated temperature.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Page: 6/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN) Date of print 27.03.2023

Components with occupational exposure limits

67-64-1: Acetone 115-10-6: Dimethyl ether

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

liquid pale straw yellow of acetone
Not determined due to potential health hazard by inhalation.
approx. 8 - 10
(deionized water, 1 %(m), 25 °C)
The product has not been tested.
approx23,7 °C
Information applies to the solvent. -41 °C
Information applies to the solvent.
not applicable
not applicable

Page: 7/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: Seclira Pressurised Fly Bait

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Flammability of Aerosol F	Products: no flashback	17,78 cm	(ASTM D 3065)
Lower explosion limit:	3,3 %(V)	nnling to the columnt	
Upper explosion limit:	26,2 %(V)	pplies to the solvent.	
Ignition temperature:	350 °C	pplies to the solvent.	
Vapour pressure:	approx. 5.100 (20 °C)		
Density:	Information a approx. 1,00 (20 °C)	pplies to the solvent. g/cm3	
Relative vapour density (,		
Solubility in water:	not applicable dispersible	9	
Partitioning coefficient n-			
	The statemer properties of components.	nts are based on the the individual	
Information on: dinotefura Partitioning coefficient n-	an (ISO); (RS)		trahydro-3-furylmethyl)guanidine
Thermal decomposition: Viscosity, dynamic:	No decompos approx. 2,34 (20 °C)		dled as prescribed/indicated.
Explosion hazard:		chemical structure dication of explosive	
Fire promoting properties	Based on	its structural properties not classified as	3

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Page: 8/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data: LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 425) No mortality was observed.

LC50 rat (by inhalation): > 5,09 mg/l 4 h (OECD Guideline 403) No mortality was observed.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Experimental/calculated data: Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 9/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity: Harmful to aquatic life with long lasting effects.

Page: 10/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: Seclira Pressurised Fly Bait

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Toxicity to fish: LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

LC50 (96 h) > 100 mg/l, Cyprinus carpio

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic invertebrates: EC50 (48 h) > 1.000 mg/l, Daphnia magna

EC50 (96 h) 0,79 mg/l, Mysidopsis bahia _____

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic plants: EC50 (72 h) 97,6 mg/l (biomass), Pseudokirchneriella subcapitata

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)quanidine Chronic toxicity to aquatic invertebrates: No observed effect concentration 0,089 mg/l, Mysidopsis bahia _____

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria). -----

Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment bioaccumulation potential: Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected. -----

Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 11/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product. Emptied gas pressure vessels must not be opened.

14. Transport Information

Land transport

ADR

UN number or ID number: UN proper shipping name:	UN1950 AEROSOLS
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	2.1 Not applicable no Tunnel code: D
RID	

UN number or ID number: UN1950

Page: 12/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN) Date of print 27.03.2023

UN proper shipping name: AEROSOLS Transport hazard class(es): 2.1 Packing group: Not applicable Environmental hazards: no Special precautions for None known user:

Inland waterway transport ADN

UN number or ID number:	UN1950
UN proper shipping name:	AEROSOLS
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	2.1 Not applicable no None known

<u>Transport in inland waterway vessel</u> Not evaluated

Sea transport

IMDG

UN number or ID number: UN proper shipping name:	UN 1950 AEROSOLS
Transport hazard class(es): Packing group: Environmental hazards:	2.1 Not applicable no Marine pollutant: NO
Special precautions for user:	EmS: F-D; S-U

Air transport

IATA/ICAO

UN number or ID number:	UN 1950
UN proper shipping name:	AEROSOLS, FLAMMABLE
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	2.1 Not applicable No Mark as dangerous for the environment is needed None known

Page: 13/13

Safety data sheet according to UN GHS 4th rev. Date / Revised: 07.09.2022 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(ID no. 30768057/SDS_GEN_00/EN)

Date of print 27.03.2023

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications STOT SE	s, hazard symbols and hazard statements, if mentioned in section 2 or 3: Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aerosol	Aerosols
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
Eye Dam./Irrit.	Serious eye damage/eye irritation
Press. Gas	Gases under pressure
Flam. gases (incl. chem.	Flammable gases (including chemically unstable gases)
unstable gases)	
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H305	May be harmful if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H280	Contains gas under pressure; may explode if heated.
H220	Extremely flammable gas.
H230	May react explosively even in the absence of air.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.