



Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

1 Identification

Product Name: Apparent Extreme White Foam Marker

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

A liquid marking dye and foam marker colouring agent

Details of Manufacturer or Importer:

AIRR Apparent Pty Ltd
15/16 Princes Street
Newport, NSW, 2106

Phone Number: 03 5820 8400

Emergency telephone number: 0437 303 689

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Serious eye damage/irritation – Category 2A

H319 Causes serious eye irritation.

Aquatic Acute 2

H401 Toxic to aquatic life.

Aquatic Chronic 3

H412 Harmful to aquatic life with long lasting effects.

Signal Word Warning

Hazard Statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

Product Name: Apparent Extreme White Foam Marker

(Contd. of page 1)

| Hazardous Components: | | |
|------------------------------|---|--------|
| CAS: 112-34-5 | Diethylene glycol monobutyl ether ⚠ Serious eye damage/irritation – Category 2A, H319 | 10-30% |
| CAS: 68439-57-6 | Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts ⚠ Skin Corrosion/Irritation 2, H315; Serious eye damage/irritation – Category 2A, H319 | 10-30% |
| CAS: 68585-34-2 | Poly(oxy-1,2-ethanediyl), α-sulfo-ω-hydroxy-, C10-16-alkyl ethers, sodium salts ⚠ Skin Corrosion/Irritation 2, H315; Serious eye damage/irritation – Category 2A, H319 | 10-30% |
| CAS: 3088-31-1 | Diethylene glycol lauryl ether sodium sulfate ⚠ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Serious eye damage/irritation – Category 2A, H319; Flammable Liquids 4, H227 | 10-20% |
| CAS: 112-53-8 | Lauryl alcohol ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Serious eye damage/irritation – Category 2A, H319 | <10% |

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1-2 glasses of water to drink in small sips. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of sulfur and dense smoke.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard.

Ensure adequate ventilation.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

Product Name: Apparent Extreme White Foam Marker

(Contd. of page 2)

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergents.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of aerosols or vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from prolonged exposure to direct sunlight. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection:

Use an approved mixed type organic vapour / particulate respirator (types A and P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

| | |
|--------------------------------------|--------------------------|
| Form: | Liquid |
| Colour: | Light amber |
| Odour: | No information available |
| Odour Threshold: | No information available |
| pH-Value: | No information available |
| Melting point/freezing point: | No information available |

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

Product Name: Apparent Extreme White Foam Marker

(Contd. of page 3)

| | |
|---|--------------------------|
| Initial Boiling Point/Boiling Range: | approx. 100 °C |
| Flash Point: | No information available |
| Flammability: | Not applicable |
| Auto-ignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Explosion Limits: | |
| Lower: | No information available |
| Upper: | No information available |
| Vapour Pressure: | No information available |
| Relative Density: | approx. 1 |
| Vapour Density: | No information available |
| Evaporation Rate: | No information available |
| Solubility in Water: | Soluble |
| Partition Coefficient (n-octanol/water): | No information available |

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Prolonged exposure to direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon, oxides of sulfur and dense smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 112-34-5 Diethylene glycol monobutyl ether

| | | |
|------|------|--|
| Oral | LD50 | 5,660 mg/kg (Rattus norvegicus (rat)) |
| | LD50 | 4,000 mg/kg (Oryctolagus cuniculus (rabbit)) |

CAS: 68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

| | | |
|------------|----------|---|
| Oral | LD50 | 2,079 mg/kg (Rattus norvegicus (rat)) |
| | LD50 | 6,300-13,500 mg/kg (Oryctolagus cuniculus (rabbit)) |
| Inhalation | LC50/4 h | >52 mg/l (Rattus norvegicus (rat)) |

CAS: 112-53-8 Lauryl alcohol

| | | |
|------|------|--|
| Oral | LD50 | 12,800 mg/kg (Rattus norvegicus (rat)) |
|------|------|--|

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

Product Name: Apparent Extreme White Foam Marker

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Harmful to aquatic life with long lasting effects.

CAS: 112-34-5 Diethylene glycol monobutyl ether

| | |
|-----------|---|
| EC50 | >100 mg/l (Algae) |
| EC50/48 h | >100 mg/l (Daphnia magna (water flea)) |
| LC50/96 h | 1,300 mg/l (Lepomis macrochirus (bluegill)) |
| LC50 | >100 mg/l (Leuciscus idus (orfe; ide)) |

CAS: 68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

| | |
|-----------|--|
| EC50/48 h | 4.53 mg/l (Daphnia magna (water flea)) |
| EC50/72 h | 5.2 mg/l (Skeletonema costatum (diatom)) |
| LC50/96 h | 4.2 mg/l (fish) |

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 13.02.2023

Revision date: 13.02.2023

Product Name: Apparent Extreme White Foam Marker

(Contd. of page 5)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 13.02.2023**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.