



Product Name: BEAST Pour-On For Cattle
APVMA Approval No.: 92938/137389

Label Name:	BEAST Pour-On For Cattle
-------------	--------------------------

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	---

Constituent Statements:	87 g/L PERMETHRIN (25:75 cis:trans)
-------------------------	-------------------------------------

Claims:	For control of buffalo flies* and control of cattle lice on beef cattle. *Pyrethroid-susceptible strains
---------	---

Net Contents:	1 L, 5 L and 10 L
---------------	-------------------

Directions for Use:	
---------------------	--

Restrains:	DO NOT USE on lactating or pregnant cows where milk or milk products may be used or processed for human consumption. DO NOT TREAT animals with this product more than 3 times in any given 12 month period. Re-treatment interval: DO NOT RE-TREAT animals for 21 days after last treatment. More frequent use of this product is likely to result is residues above the MRL.
------------	--

Contraindications:	
--------------------	--

Precautions:	Use with caution as the safety of this product in calves has not been established.
--------------	--

Side Effects:	
---------------	--

Dosage and Administration:	SHAKE WELL BEFORE USE		
	ANIMAL & TARGET PEST	DOSAGE	ADMINISTRATION
	Cattle, Ready-to-Use Pour-on Application: Buffalo Flies (<i>Haematobia irritans exigua</i>) Cattle Lice, biting and sucking species (<i>Bovicola bovis</i> , <i>Linognathus vituli</i> , <i>haematopinus eurysternus</i>)	1 mL / 30 kg body weight per animal up to 15 mL maximum. Reapply as needed but not more often than once every 21 days.	Apply by pouring from the calibrated chamber of the dispenser. For Buffalo Fly control: Apply along the back-line, from the shoulders to the tail butt, when fly numbers exceed acceptable levels. For Cattle Lice control: Apply along the backline, from the head poll down the neck and over the shoulders. For optimum residual control, reapply after 3 weeks.
	Application: Loosen cap and squeeze bottle to fill measuring chamber with required dosage. Remove cap and pour along the animal's backline. Apply 1 mL/30 kg body weight up to a maximum of 15 mL per animal. The maximum number of applications is 3 per season.		

General Directions:	<p>BEAST Pour-on for Cattle will give effective control of Buffalo Flies and Cattle Lice when used as directed. The level and duration of control may be reduced due to high fly pressure. Treat all animals in the group.</p> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p>
---------------------	---

Withholding Periods:	MEAT: DO NOT USE less than 7 days before slaughter for human consumption.
----------------------	---

Trade Advice:	<p>EXPORT SLAGHTER INTERVAL (ESI):</p> <p>DO NOT USE less than 14 days before slaughter for export. Before using this product, confirm the current ESI from Abbey Animal health Pty Ltd on 020 8088 0720 or the APVMA website (www.apvma.gov.au/residues).</p>
---------------	--

Safety Directions:	May irritate the eyes. Avoid contact with eyes. Wash hands after use.
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 131 126.
-------------------------	---

First Aid Warnings:	
---------------------	--

Additional User Safety:	
-------------------------	--

Environmental Statements:	<p>ENVIRONMENT PROTECTION</p> <p>This product is highly toxic to fish. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container.</p>
---------------------------	--

Disposal:	<p>1 L containers:</p> <p>Dispose of container by wrapping with paper and putting in garbage.</p> <p>5 L and 10 L containers:</p> <p>Triple-rinse container into the medicated water, dip, drench, etc. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>
-----------	--

Storage:	<p>Store below 30 °C (room temperature).</p> <p>Store upright in the original container tightly closed, in a dry place.</p> <p>DO NOT store in direct sunlight.</p>
----------	---