

Product Name: Farmalinx FLX700 Aquatic Penetrating Surfactant
APVMA Approval No.: 89880/142177



Label Name:	ProForce Monterey Aquatic Surfactant
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENTS: 350 g/L SOYAL PHOSPHOLIPIDS 350 g/L PROPIONIC ACID
Mode of Action:	
Statement of Claims:	Multi purpose aquatic approved penetrating surfactant for use with herbicides, insecticides, foliar fertilisers and plant growth regulators.
Net Contents:	1 L - 1000 L
Restrains:	DO NOT use with copper products. For PROFESSIONAL use only.
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	

General Instructions:	<p>GENERAL INSTRUCTIONS ProForce MONTEREY Aquatic Surfactant can be used where the addition of a wetter/ spreader or self emulsifying oil is required or recommended on the agricultural chemical label.</p> <p>PENETRATION AND WETTER MONTEREY is a multipurpose aquatic friendly adjuvant which is composed of natural surfactants and penetrants derived from soybean oils. These are combined with propionic acid to produce a penetrant, surfactant, acidifier for use with herbicides, insecticides, fungicides, foliar fertilizers and plant growth regulators. The unique properties of MONTEREY enhance the uptake of many systemic herbicides, allowing them to effectively penetrate into leaves, without causing damage to non-target crop plants.</p> <p>ACIDIFICATION MONTEREY also acts as an acidifier which will reduce pH, in most cases to between 4 and 5. This reduces losses due to alkaline hydrolysis and also assists with the uptake of weak acid herbicides.</p> <p>DROPLET SIZE MANAGEMENT MONTEREY will reduce the number of fine droplets (<150 micron) produced by flat fan nozzles, without increasing the number of large spray droplets (>400 micron). MONTEREY will reduce the fine droplets associated with, but not eliminate, off-target movement of the pesticide being used. This is contingent upon good agricultural spraying practice and appropriate nozzle choice. DO NOT use in situations that are conducive to drift. Refer to Indigo Specialty Products representative for further advice and stewardship.</p> <p>MIXING Half fill the spray tank with water and commence agitation. Add the required quantity of MONTEREY then add the recommended quantity of herbicide, insecticide or foliar fertilizer. Continue agitation while topping up the tank and during spraying.</p>
-----------------------	--

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT Avoid contaminating wetlands or watercourses with this product or used containers. When controlling weeds in aquatic situations, refer to label directions to minimise the entry of spray into the water.</p>
--------------	---

Storage and Disposal:	<p>Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product. For refillable containers empty contents fully into application equipment. Close all valves and return to point of supply/designated collection point for refill or storage.</p>
-----------------------	--

Safety Directions:	Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. When using with together with other products, consult their label safety directions. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and face shield. Wash hands after use. After each day's use, wash gloves, face shield and contaminated clothing.
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
-------------------------	--

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

SITUATION	RATE/100 L	CRITICAL COMMENTS
Addition to herbicides, insecticides, fungicides and plant growth regulators to improve spreading and penetration.	250 – 500 mL	Use high rate on stressed or difficult to control weeds.
Reduction of pH to reduce alkaline hydrolysis.	100 mL	Add to water in spray tank before adding tank mix partner.
To improve uptake of foliar fertilisers	300 – 500 mL	Tank mixing with other agricultural chemicals may increase the potential for crop damage - check with supplier.
Assistance in droplet size management to partially reduce the number of fine droplets produced from hydraulic nozzles by air and ground.	300 – 500 mL	Helps to reduce the number of fine droplets. MONTEREY will reduce the fine droplets associated with, but not eliminate off-target movement. This is contingent upon good agricultural spraying practice and appropriate nozzle choice. Refer to Indigo Specialty Products representative for further advice and stewardship.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION