

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Kendon
Triforine Rose Fungicide

ACTIVE CONSTITUENT: 19g/L TRIFORINE
SOLVENT: 23.8g/L DIMETHYL FORMAMIDE


GROUP	C	FUNGICIDE
-------	---	-----------

Controls Black Spot
Powdery Mildew & Rust

CONTENTS: 5L / 20L

Kendon Chemical & Mnfg Co Pty Ltd
71 McClure St, Thornbury Vic 3071
(03)94972822

AN AUSTRALIAN OWNED COMPANY EST 1950



DIRECTIONS FOR USE

DO NOT apply during abnormally hot, cold, or slow drying conditions.
DO NOT use a wetting agent as it may cause excessive run off.

CROP	DISEASE	RATE	HOW TO APPLY
Roses all types	Black Spot, Powdery Mildew, Rust	15mL per Litre of water	Apply at intervals of 7-10 days for as long as diseases are active

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER
APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

MIXING: Slowly add desired amount to water while stirring

METHOD OF APPLICATION: Spray plants to the point of run-off to ensure thorough wetting and coverage.

COMPATIBILITY: May be combined with either Carbaryl, or Pirimor but mixing with both or other
products may cause serious damage.

APPLY PREPARED MIXTURE IMMEDIATELY

FUNGICIDE RESISTANCE WARNING:**GROUP C FUNGICIDE**

Triforine is a member of the DMI group of fungicides. For fungicide resistance management triforine is a Group C fungicide. Some naturally occurring individual fungi resistant to triforine and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by triforine and other Group C fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect Kendon Chemical & MFNG Co Pty Ltd accepts no liability for any losses that may result from failure of triforine to control resistant fungi.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**CAUTION:**

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL.— Store in the closed original container in a cool, well ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow length PVC gloves and face shield. If product contacts with skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands arms and face thoroughly with soap and water. After each days use was gloves, face shield and contaminated clothing.

FIRST AID


If poisoning occurs contact a doctor or Poisons Information Centre Ph.131126.

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet

Notice – This product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non excludable conditions implied by the Trade Practices Act and any applicable State Legislation.

U.N. No : 1993
HAZCHEM 2(Y)E
PACKAGING GROUP 11
EMERGENCY PHONE
000
Police or Fire Brigade
Specialist Advice
Kendon Chemical & MFNG Co Pty Ltd
(03) 94972822



DOM

BN

NRA Approval No: 30517/0702

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Kendon
Triforine Rose Fungicide

ACTIVE CONSTITUENT: 19g/L TRIFORINE
SOLVENT: 23.8g/L DIMETHYL FORMAMIDE

Controls Black Spot
Powdery Mildew & Rust

CONTENTS: 250mL / 500mL / 1L

Kendon Chemical & Mnfg Co Pty Ltd
72 McClure St, Thornbury Vic 3071
(03)94972822

AN AUSTRALIAN OWNED COMPANY EST 1950

HOW TO USE

DO NOT apply during abnormally hot, cold, or slow drying conditions.
DO NOT use a wetting agent as it may cause excessive run off.

CROP	DISEASE	RATE	HOW TO APPLY
Roses all types	Black Spot, Powdery Mildew, Rust	15mL per Litre of water	Apply at intervals of 7-10 days for as long as diseases are active

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.

CAUTION:

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds

HOW TO PREPARE

MIXING: Slowly add desired amount to water while stirring

METHOD OF APPLICATION: Spray plants to the point of run-off to ensure thorough wetting and coverage.

COMPATIBILITY: May be combined with either Carbaryl, or Pirimor but mixing with both or other products may cause serious damage.

APPLY PREPARED MIXTURE IMMEDIATELY

STORAGE AND DISPOSAL.— Store in the closed original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS


Avoid contact with eyes and skin. Do not inhale spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre Ph. 131126.

Notice – This product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non excludable conditions implied by the Trade Practices Act and any applicable State Legislation.

U.N. No : 1993
HAZCHEM 2(Y)E
PACKAGING GROUP 11
EMERGENCY PHONE
000
Police or Fire Brigade
Specialist Advice
Kendon Chemical & MFNG Co Pty Ltd
(03) 94972822



DOM

BN

NRA Approval No: 30517/0702